

Alaska 59 SEDAN

61 07 55 77 9200

Shop 42 D&E Quay Street

The Marine Village

Sanctuary Cove

QLD 4212 Australia



Australian Specifications and Standard Equipment List

| | |
|----------------|----------|
| Length Overall | 18.3M |
| Beam (Max) | 5.2M |
| Draft (Hull) | 1.15M |
| Displacement | 28000kgs |
| Fuel Tank | 5600L |
| Water Tank | 1200L |

Construction

HULL: HAND LAMINATION FIBERGLASS HULL USING FIBERGLASS CHOPPED STRAND MAT WOVEN ROVING DESIGNED TO MEET OR EXCEED A.B.S. SPECIFICATION. STD

DECK: HAND LAMINATION FIBERGLASS SANDWICH CONSTRUCTION. OVERLAYED WITH 1/2" SOLID SKIN DRIED TEAK BEDED IN THROUGH AND SCREWED WITH 1/2" S/S SELF TAPPING SCREWS EVERY 10". STD

BULKHEADS & CABIN FLOORS: VACUUM BAGGING WITH " DIVINYCELL" PVC RIGID FORM ,AND BULKHEADS BONDED TO THE HULL WITH 4PLYS OF 18OZ MAT STD

THE DECK TO HULL JOINT: HULL AND DECK ARE FITTED AND SEALED WITH SIKA 252/292 COMPOUNDS THROUGH BOLTED WITH S/S BOLTS AT 9" CENTERS, AND GLASSED OVER WITH WOVEN ROVING. STD

RAISE DECK LIKE 47/49 200MM

Raise Roof

Antifouling

Add steps forward of side doors like 49 to fwd deck to add accom room

main deck

Non-skid deck STD

| | |
|---|-----|
| MUIR HR 2500 electrical 12V windlass with foot operated windlass control switch at bow, remote panel switches | STD |
| S/s plow anchor 50LBS (x1) with 75 meters chain | STD |
| Chain locker hatch & rope locker hatch | STD |
| FRP Anchor platform with pulpit FRP | STD |
| S/s handrails dia. 1 ½" and stanchions dia. 1 ¼" | STD |
| Hatch on the forward cabin top (x2) | STD |
| S/s cleat at bow (x2) | STD |
| S/s cleats at midship (x4) | STD |
| S/s hawse pipe w/cleat at stern (x2) | STD |
| S/s flagpole holders bow & stern | STD |
| Deck filler for water tanks on starboard passageway | STD |
| Deck filler for fuel tanks on port and starboard passageway | STD |
| Fuel tanks vent (on deck 600mm) | STD |
| Water tanks vent | STD |
| Holding tank pump-out deck fitting on port passageway | STD |
| S/s Engine room vents | STD |
| Engine room access door in cockpit | STD |
| Off-shore plug | STD |
| an additional Jabasco deck wash | STD |
| After Deck | |
| Aft deck Teak deck | STD |
| FRP swimming platform top cover with solid teak, Sliding type stainless steel swimming ladder under platform stb. FRP | STD |
| swim platform S/S handrails | STD |
| L- shape FRP setteeportside + stb side at stern deck | STD |
| two additional S/S cleats at stern 12" | STD |
| stern S/S strut & whippetree 80mm | STD |
| Acrylic doors between house & fashion plate at both PTS & STB | STD |
| H/C transom shower mounted with back transom | STD |
| Deck wash downs forward and aft | STD |
| aft deck water proof speakersX2 | STD |
| icemaker Uline-18 + refrigator at aftdeck | STD |

| | |
|---------------------------------|-----|
| sink at aftdeck | STD |
| LED 12v lighting for stern deck | STD |
| Cockpit fluorescent light x 2 | STD |

Saloon

| | |
|--|-----|
| Teak and holly stripe floor | STD |
| #316 stainless steel main entrance door+ opening window | STD |
| U- settee & Hi-Lo table, portside U | STD |
| Single sofa X2 | STD |
| Tv lifter between sofas in saloon | STD |
| Radio cassette/CD stereo receiver | STD |
| Fixed window and curtain | STD |
| S/S trip for bookshelf between windows | STD |
| Customized saloon roller blind (19-1/2"x 31- 1/2") | STD |
| Two additional ceiling lights in bookshelf | STD |
| Vinyl ceiling | STD |
| LED Overhead lights LED | STD |
| Overhead wood handrail | STD |
| Salon floor hatches to E/R | STD |
| Two AC electrical outlets | STD |
| Extra temperature sensor for Aircon | STD |
| Upgrading to AMI STD high-gloss african cherry interior through whole boat | STD |

L-Galley

| | |
|--|-----|
| Galley with cabinets and "CORIAN" counter tops | STD |
| S/s single sink with single lever H/C water faucet | STD |
| BLUM drawers | STD |
| Two burners Miji Cooktop | STD |
| Overhead lights LED | STD |
| Vinyl ceiling | STD |
| Teak and holly stripe floor | STD |
| Electrical outlets | STD |
| Overhead cabinets over cooktop | STD |
| Isotherm CR90 Freezer in galley | STD |
| S/S Refregirator ISOTHERM CR130 in galley | STD |
| DC kitchen ventiator | STD |

furnitures struts STD

helm Station

American cherry wood console with engine panel and navigation panels. STD

S/s steering wheel with American cherry rim STD

Pilot seat STD

S/s sliding door, stbd STD

Complete AC and DC electrical distribution panels in salon and engine room STD

Engine controls STD

Bow and stern thruster controls (SIDE-POWER) STD

Hydraulic steering (CAPALANO) STD

Rudder angle indicator (VDO) STD

Compass (6" CARD) STD

Raytheon TRIDATA ST-60 (log. Depth and speed) STD

AFI windshield wipers w. washers STD

Anchor winch on/off main disconnect switch STD

Fuel and water tank level gauge STD

Holding tank level gauge STD

Trim tabs controls STD

LED Overhead lights LED STD

Teak and holly stripe floor STD

Vinyl ceiling STD

Extra Air-con air outlet at helm station STD

fire-resistant panel upgrading STD

cigarette lighter STD

Raymarine electronics package, details attached STD

Timber handrails at side doors & above switchboard like A4495 STD

Master stateroom

King-size island bed, mattress, storage under and drawers , bedside table STD

Cabinet STD

Upgrading to camphor wardrobe STD

Stainless steel opening hatch with mosquito screen STD

5. Oceanair Skyscreens STD

Stainless steel portholes with mosquito screen STD

| | |
|--|-----|
| Reading lights and LED Overhead lights LED | STD |
| Teak and holly stripe floor | STD |
| Vinyl ceiling | STD |
| Sliding door | STD |

VIP Stateroom

| | |
|--|-----|
| Queen size bed with storage under and drawers | STD |
| starboardside Full high cabinet | STD |
| hanging locker stbd & port side | STD |
| Upgrading to camphor wardrobe | STD |
| Stainless steel opening hatch with mosquito screen | STD |
| Oceanair Skyscreens | STD |
| S/s porthole with mosquito screen | STD |
| Vinyl ceiling | STD |
| Reading lights and LED overhead lights LED | STD |
| furnitures struts | STD |
| Teak and holly stripe floor | STD |

Guest Stateroom

| | |
|--|-----|
| Single bed X2 with storage under | STD |
| Vinyl ceiling | STD |
| Reading lights and LED overhead lights | STD |
| Teak and holly stripe floor | STD |
| Bedside table | STD |
| Fixed window | STD |

HEAD, VENITY UNIT AND SHOWER ROOM

| | |
|--|-----|
| Shower stall with molded FRP floor basin and teak grating floor, glass shower door | STD |
| Electrical toilet system | STD |
| 65 gal Holding tank w. macerator pump located under cabin sole with level indicator 65 | STD |
| Vanity unit, "CORIAN" countertop with wash basin and single lever H/C faucet | STD |
| Mirror | STD |
| S/S Porthole with mosquito screen | STD |
| 12V waterproof light | STD |
| Medicine cabinet | STD |
| (GFI)outlets 240V | STD |
| Exhaust fan | STD |

| | |
|-----------------------------|-----|
| Scroll and towel frame | STD |
| Washbasin on the countertop | STD |

Mechanical

| | |
|--|-----|
| Twin CUMMINS 715HP marine diesel engines (Oil pressure sensors and gauges for gearboxes) | STD |
| Underwater exhaust system w. bypass to transom | STD |
| Engines overheat and low oil pressure alarm system | STD |
| Sea cocks and strainers on engine raw water intakes | STD |
| Electric engine controls | STD |
| Drip less packing gland | STD |
| Shaft AQUA 22 | STD |
| S/s V-struts with rubber bearing | STD |
| Four blades NI- AL-bronze propellers | STD |
| S/s rudders and stocks | STD |
| Emergency tiller | STD |
| Fuel/water separating filters | STD |
| Engine room lead foam sound insulation | STD |
| Engine room bulkhead insulation | STD |
| Engine room lights (240V and 12V) | STD |
| Hand operated emergency bilge pump (×1) | STD |
| FRP non-skid engine room floor | STD |
| Engine room flooring(EVA faux teak sheet) | STD |
| S/s fuel tank increased to 2560L | STD |
| Stainless steel trim tabs upgrading 24" trim tab to 54" | STD |
| Increasing steering ram to BA 200-7TM | STD |
| Engine room flooring(EVA faux teak sheet) | STD |
| Water maker pre installing | STD |

Electrical System

| | |
|--|-----|
| Generator 17Kw with sound shield | STD |
| Air condition for whole boat cabins | STD |
| A/C disconnecting switches x 3 | STD |
| Sidepower bow & stern thrusters minimum size SE130 with 250mm DIA tubes (same as 4495) | STD |

| | |
|---|-----|
| Batteries with house boxes: 4×200A for services and bow and strn thruster, 2× 200A for engine start,1×120A for generator, 1×150A for windlass | STD |
| Inerter with charger combination | STD |
| VSR battery voltage sensor | STD |
| Battery safety switches | STD |
| 240V outlets throughout | STD |
| GFI outlets in head and galley. | STD |
| Earth leakage protectionDZ47L-2P | STD |
| Bonded electrical systemCopper bonding to zinc anode | STD |
| 12V Main bilge pump in engine room to be Rule 14A (2750 us gallon/hour) | STD |
| 12V submersible bilge pumps with auto. Switch (×2) | STD |
| Bilge alarm system in engine room(×1) | STD |
| Engine room blowers(×2) | STD |
| Interior 12V lighting with recessed flush mount lights with wiring and switches | STD |
| “HELLA” LED lightsX10 in both engine room & lazzarate | STD |
| Navigation and anchor lights | STD |
| Windshield wipers with washer(×3) | STD |
| Electrical horn (×1) | STD |
| Cockpit 220V shore power inlet | STD |
| Searchlight(×1) | STD |
| 12V DVD stereo system with 2 ext. speakers for surround sound in salon | STD |
| Battery safety switchesBEP | STD |
| Pre-wiring TV cable from mast top to the salon socket | STD |
| 220V AC electrical wiring and outlets in saloon, galley, master stateroom , guest room and heads | STD |
| DNV cables through boat | STD |
| Upgrading to VIMAR switchs through the boat | STD |
| Water System | |
| S/s fresh water tank . | STD |
| 12V pressure pump | STD |
| Sea water wash down at bow and stern | STD |
| Water heater 70Lit. Capacity (Gal 20) | STD |
| Sump pump in shower floor basin | STD |
| Cockpit shore water inlet with pressure regulation | STD |
| Headhunter water pump capacity increased also cold/hot water hose increased to 3/4”, Headhunter | STD |

Whale shower pump

STD

OPTIONAL ITEM

Hydraulic swim platform (ADC system – AMI supplies mechanism,) DHS to provide platform

Reinforcement & services for retrofit of a 20T gyro stabilizer

Metel protective paint on propeller +trimtab +A strut+rudder

Raymarine package details

AXIOM 16 Pro-S, HybridTouch 16" Multi-function Display with integrated High CHIRP

Conical Sonar for CPT-S and Australia/NZNavionics+ Chart

Quantum Q24C 18" Radar with 15m Power and 15m Data Cable

CPT-S Bronze Conical HIGH CHIRP Through Hull 12° Angled Element Transducer

GA150 GPS & Glonass antenna

Ray60 VHF Radio

Evolution Autopilot with p70Rs control head & ACU-400, EV1 Sensor Core, EV1

Cabling kit (suitable for Type 2 & 3 drives)

Type 3/12v Hydraulic Pump

i50 Tridata Pack, with P120 & P319 Speed/Temp/Depth Through Hull Transducers

ITALY BANTEN 8FT VHF ANTENNA WITH S/S MOUNT

BUILD MODIFACTIONS AND NOTES FOR ALDRICH ALASKA 55 Sedan

Buyers changes and build Notes to be drawn for build sign off.

Twin c12.9 850hp Main Engines

Twin Disc Gear Box's

Sea Torque Shaft System

Hydraulic Thrusters by Twin Disc

Quick shift Joystic control with Cockpit Station

Seakeeper Series 9

Fit 400kg ADC Hydraulic Swim Platform with teak

Move Batteries to Lazarette

House batteries to be AGM

Increase Air-conditioning for Tropical use in all cabins and Saloon

Increase House Battery bank to 6 N200 AGM

5KW Mastervolt inverter to be used
Increase fuel to 5600 Litres
Fit Water Stellar Water Maker 130LPH (MIA to Supply)
Add AIS to electronics package
2 X 18.5 Inch Raymarine AXIOM XL screens
Auto pilot
Radar 48 Mile close scan
Fit 500mm Sat dome (MIA to Supply)
Accommodation
Move Stair case outboard down to accommodation (semi spiral)
Add linen press with corian bench / Under Bench Washer and dryer
Add h/c Flush mounted sink with Corian cover in linen bench down to port
Increase master stateroom to King size (move out walls and increase bed)
Reduce Double bed in 3rd cabin to king single so walk past is integrated
Add side table to now king single in 3rd cabin
Add full height thin cupboard to centre of beds in 3rd cabin
Add USB outlet to Saloon / Galley / Bed GPO's
AFT Deck
Change layout to L-Shape Seating like 59
Add Integral BBQ / SINK / Corian bench with storage under at swim platform level forward